

Plastic – No Rust or Rot Crawlspace Door/Air Vent for Homes (New Construction & Replacement)

Easy Access • Modular Use • Can Be Painted

	MODEL	HxW (in)	Net Area (in ²)
<input type="checkbox"/>	1220CS	12 X 20	235
<input type="checkbox"/>	1232CS	12 X 32	305
<input type="checkbox"/>	1616CS	16 X 16	180
<input type="checkbox"/>	1624CS	16 X 24	310
<input type="checkbox"/>	1632CS	16 X 32	405
<input type="checkbox"/>	2032CS	20 X 32	630
<input type="checkbox"/>	2424CS	24 X 24	570
<input type="checkbox"/>	2436CS	24 X 36	850


Standard Door/Air Vent

Great for new construction and remodeling.

One-piece doorplate with easy to insert vermin screen, fixed louver and door lid. Made of durable PVC/ABS plastic (no rust or rot) with a UV retardant treatment. Quick and easy to install.



*Plastic Crawlspace Doors & Vents
Plastic Crawlspace Louvers/Screens*



 **Crawl Space
Door Systems**
INCORPORATED

5741 Bayside Road, Unit 105
Virginia Beach, VA 23455
757.363.0005 | 1.800.230.9598
www.crawlspace doors.com

MODEL	DOOR OPENING - H x W	TOTAL DIMENSION wth APPROXIMATE 3" FRAME
1220CS	12" H x 20" W	17 3/4" H x 26" W
1232CS	12" H x 32" W	17 3/4" H x 37 1/2" W
1616CS	16" H x 16" W	21 3/4" H x 21 3/4" W
1624CS	16" H x 24" W	21 3/4" H x 30" W
1632CS	16" H x 32" W	21 3/4" H x 37 1/2" W
2032CS	20" H x 32" W	25 1/2" H x 37 3/4" W
2424CS	24" H x 24" W	29 3/4" H x 30" W
2436CS	24" H x 36" W	29 3/4" H x 41 3/4" W

- All doors are surface mount – meaning they mount over the foundation opening
- Because the frame / flange adds an approximate extra 3 inches around it is okay if your opening is a little smaller or bigger. So, you do not have to make a custom door
- All doors are paintable with a plastic adherent paint. We suggest Krylon Spray Paint and wait an hour then use Krylon Clear Coat for a lasting finish
- The frame / flange can be trimmed if needed since our doors are made of durable ABS Plastic
- All louvered doors come with mounting hardware, frame, screen, louver (vent) and a cover
- To remove the cover or louver just pull the pins out of the left and right side

